
POWER IN
CELL PHONE
14
CAR
OR
16
110 VOLT
BATTERY
12
10
DUMMY LOAD OR HANDSET
22
DATA OUT
DATA
POWER
CELLULAR INTERFACE
12 VOLT
CELLULAR INTERFACE
RJ11 PHONE JACK IN
20
POWER IN
PRINTER
POWER IN
DATA TERMINAL
18

FIG. 1

FIG. 5


CREDIT CARD TERMINAL (EG. NURIT 3010)
18'
RS-232
TXD
RXD
CHECK READER ADAPTER
38
D-TYPE 15 PIN
MAGNETIC OR OCR CHECK READER
36
5V SW. REG.
SW2
RTS
SW3
SW1
INTERNAL SWITCH CONTROLLED BY SOFTWARE
XMIT/RCV ANTENNA
WIRELESS TRANSCEIVER DIGITAL/ANALOG DBL OR COMBINATION
PHONE
LINE
10'
GENERIC CORDLESS PHONE
POWER
RJ11 TELEPHONE INTERFACE INT OR EXIT TO TRANSCEIVER
40
VBAT PORT
SIMULATED TELEPHONE LINE
16'
FUSE
12'
12V BAT
D1
14'
CIGARETE LIGHTER PLUG

2/3



FIG. 2



FIG. 3



FIG. 4